

Printing date 05.12.2024 Version number 20.2 Revision: 05.12.2024

1 Identification of the substance/mixture and of the company/undertaking

Product identifier

Trade name: Polyx®-Oil Original

Article number: 3011, 3032, 3062, 3065, 3040, 3044, 3067, 3071, 3072, 3073, 3074, 3075

& mixed colours

Relevant identified uses of the substance or mixture and

uses advised against No further relevant information available.

Application of the substance

/ the mixture Paint

Coating compound/ Surface coating/ paint

Details of the supplier of the safety data sheet

Manufacturer/Supplier: Osmo Holz und Color GmbH & Co. KG

Affhüppen Esch 12 D-48231 Warendorf

Germany

Further information

obtainable from: Product safety department

Tel.: +49 (0) 251 / 692 - 188 Fax: +49 (0) 251 / 692 - 462 e-mail: helmut.starp@osmo.de

Emergency telephone

number: National Poisons Information Centre: +353 (1) 809 2166 (8.00 a.m. to 10.00

p.m. 7 days a week)

Healthcare Professionals: +353 (1) 809 2566 (24 hour service)

Members of the public seeking specific information on poisons should contact:

In England and Wales: NHS 111 - dial 111

In Scotland: NHS 24 - dial 111

emergency phone no. Berlin (24h): +49 (0) 30 / 30686 790 advisory service in

German and English

Importer Importer for UK:

OSMO UK, Smeaton Close

Unit 24 Anglo Business Park Aylesbury, Bucks HP19 8UP

Phone: 01296 481 220, www.osmouk.com

United Kingdom

2 Hazards identification

Classification of the

substance or mixture The product is not classified, according to the Globally Harmonised System

(GHS).

Label elements

Hazard pictograms Void

(Contd. on page 2)



Printing date 05.12.2024 Version number 20.2 Revision: 05.12.2024

Trade name: Polyx®-Oil Original

(Contd. of page 1)

Signal word Void Hazard statements Void

Precautionary statements P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P262 Do not get in eyes, on skin, or on clothing.
P271 Use only outdoors or in a well-ventilated area.
EUH210 Safety data sheet available on request

Additional information: EUH210 Safety data sheet available on request.

Other hazards Observe the general safety regulations when handling chemicals.

Always wear a dust mask when sanding.

Warning:

Wash out any used cloth impregnated with this product immediately after use

or store in an airtight container (danger of self-ignition)

Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

3 Composition/information on ingredients

Chemical characterisation: Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

Dangerous components:

CAS: 64742-48-9 aliphatic hydrocarbons, C10-C13 n-alkanes, i-alkanes, cyclics, 25-50% aromatics < 2 %

Reg.nr.: 01-2119457273-39 🚯 Asp. Tox. 1, H304

Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First aid measures

Description of first aid measures

General information: Take affected persons out into the fresh air.

After inhalation: Supply fresh air; consult doctor in case of complaints.

After skin contact: Generally the product does not irritate the skin.

After eye contact: Rinse opened eye for several minutes under running water. If symptoms

persist, consult a doctor.

After swallowing: Do NOT induce vomiting.

If symptoms persist consult doctor.

Information for doctor: Most important symptoms and effects, both acute and

delayed Dizziness

Headache

(Contd. on page 3)



Printing date 05.12.2024 Version number 20.2 Revision: 05.12.2024

Trade name: Polyx®-Oil Original

(Contd. of page 2)

Indication of any immediate medical attention and special

treatment needed No further relevant information available.

5 Firefighting measures

Extinguishing media Suitable extinguishing

agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol

resistant foam.

For safety reasons unsuitable

extinguishing agents: Water with full jet

Special hazards arising from

the substance or mixture

Advice for firefighters

Advice for firefighters

Protective equipment:

General measures for chemical fires.

Additional information Cool endangered receptacles with water spray.

Dispose of fire debris and contaminated fire fighting water in accordance with

Formation of toxic gases is possible during heating or in case of fire.

official regulations.

6 Accidental release measures

Personal precautions, protective equipment and

emergency procedures

Ensure adequate ventilation

Keep away from ignition sources.

Wear protective clothing.

Environmental precautions: Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage

system.

Methods and material for

containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal

binders).

Dispose of the material collected according to regulations.

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

Reference to other sections See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

(Contd. on page 4)



Printing date 05.12.2024 Version number 20.2 Revision: 05.12.2024

Trade name: Polyx®-Oil Original

(Contd. of page 3)

7 Handling and storage

Handling:

Precautions for safe handling Use only in well ventilated areas.

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

General protective and

hygienic measures: Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Store protective clothing separately.

Do not inhale gases / fumes / aerosols.

Information about fire - and

explosion protection: Keep respiratory protective device available.

Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by

storerooms and receptacles: Store only in the original receptacle.

Information about storage in

one common storage facility: Not required.

Further information about

storage conditions: Protect from frost.

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

Storage class: 10

Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Control parameters

Ingredients with limit values that require monitoring at the workplace:

64742-48-9 aliphatic hydrocarbons, C10-C13 n-alkanes, i-alkanes, cyclics, aromatics < 2 %

TWA (8 H) Long-term value: 1.000 mg/m³, 150 ppm ppm

Source: UK SIA

Additional information: The lists valid during the making were used as basis.

Exposure controls

Personal protective equipment:

General protective and

hygienic measures: Do not eat, drink, smoke or sniff while working.

Do not carry product impregnated cleaning cloths in trouser pockets.

Keep away from foodstuffs, beverages and feed.

(Contd. on page 5)



Printing date 05.12.2024 Version number 20.2 Revision: 05.12.2024

Trade name: Polyx®-Oil Original

(Contd. of page 4)

Avoid contact with the eyes and skin.

Immediately remove all soiled and contaminated clothing

Store protective clothing separately.

Do not inhale gases / fumes / aerosols.

Respiratory protection: Use suitable respiratory protective device only when aerosol or mist is formed.

Use a properly fitted, air-purifying or air-fed repirator complying with an approved standard if a risk assessment indicates this is necessary. Half mask with round thread connection EN 148-1 (screw-on filter) and

combination filter A1 - P2 according to German DIN EN 14387.

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective

device.

Not necessary if room is well-ventilated.

Protection of hands: To avoid skin problems reduce the wearing of gloves to the required minimum.

Protective gloves

The glove material has to be impermeable and resistant to the product/ the

substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates

of diffusion and the degradation

Material of gloves The selection of the suitable gloves does not only depend on the material, but

also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be

checked prior to the application.

Penetration time of glove

material

The exact break trough time has to be found out by the manufacturer of the

protective gloves and has to be observed.

For the permanent contact gloves made of the following

materials are suitable:

Nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.4 mm

For the mixture of chemicals mentioned below the penetration time has to be at least 480 minutes (Permeation according to EN 16523-1:2015: Level 6).

For the permanent contact of a maximum of 15 minutes gloves made of the following

materials are suitable: Nitrile rubber, NBR

As protection from splashes gloves made of the following

materials are suitable:Nitrile rubber, NBREye protection:Tightly sealed gogglesBody protection:Protective work clothing

(Contd. on page 6)



Printing date 05.12.2024 Version number 20.2 Revision: 05.12.2024

Trade name: Polyx®-Oil Original

(Contd. of page 5)

9 Physical and chemical properties

Information on basic physical and chemical properties

General Information

Appearance:

Form: Viscous
Colour: Yellowish
Odour: Mild

Odour threshold: Not determined.

pH-value: Not applicable.

Change in condition

Melting point/freezing point: Undetermined.

Initial boiling point and boiling range: 180 °C

Flash point: > 60 °C (DIN EN ISO 2719)

Auto-ignition temperature: 240 °C

Decomposition temperature: Undertemined

Explosive properties: Product is not explosive. However, formation of explosive air/vapour

mixtures are possible.

Explosion limits:

Lower: 0.7 Vol % **Upper:** 6.0 Vol %

Vapour pressure: Not determined.

Density at 20 °C: 0.88–0.95 g/cm³ (DIN 51757)

Solubility in / Miscibility with

water: Not miscible or difficult to mix.

Partition coefficient: n-octanol/water: Not determined.

Viscosity:

Dynamic at 20 °C: 95–240 mPas

Kinematic at 40 °C: >21 mm²/s (calculated)

Solvent separation test: <3% ADR/RID

Other information No further relevant information available.

10 Stability and reactivity

Reactivity No further relevant information available.

(Contd. on page 7)



Printing date 05.12.2024 Version number 20.2 Revision: 05.12.2024

Trade name: Polyx®-Oil Original

(Contd. of page 6)

Chemical stability

Thermal decomposition /

conditions to be avoided:

Possibility of hazardous

reactions

Reacts with fabric soaked in the product (e.g. cleaning wool).

No decomposition if used according to specifications.

Conditions to avoid Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking.

Incompatible materials:

Hazardous decomposition

products:

No further relevant information available.

Carbon monoxide and carbon dioxide

Nitrogen oxides (NOx)

Additional information:

Warning:

Wash out any used cloth impregnated with this product immediately after use

or store in an airtight container (danger of self-ignition)

11 Toxicological information

Information on toxicological effects

Acute toxicity

LD/LC50 values relevant for classification:

64742-48-9 aliphatic hydrocarbons, C10-C13 n-alkanes, i-alkanes, cyclics, aromatics < 2 %

Oral	LD50	>5,000 mg/kg (rat)
		>5,000 mg/kg (rat)
Inhalative	LC50 / 4h	>5 mg/l (rat)

Primary irritant effect:

Skin corrosion/irritation No irritant effect.

Based on available data, the classification criteria are not met.

Serious eye damage/irritation No irritating effect.

Based on available data, the classification criteria are not met.

Respiratory or skin

sensitisation Sensitising effect by skin contact is possible by prolonged exposure.

Subacute to chronic toxicity: Based on available data, the classification criteria are not met.

12 Ecological information

Toxicity

7	~!!	atio	to	vio	itv:
$\boldsymbol{\mathcal{A}}$	uud	111 6	w	スルし	ILV.

64742-48-9 aliphatic hydrocarbons, C10-C13 n-alkanes, i-alkanes, cyclics, aromatics < 2 %

EC50 / 48h >1,000 mg/l (Daphnia magna)

IC50 / 72h | >1,000 mg/l (algae) LC50 / 96h | >1,000 mg/l (fish)

(Contd. on page 8)



Printing date 05.12.2024 Version number 20.2 Revision: 05.12.2024

Trade name: Polyx®-Oil Original

(Contd. of page 7)

Persistence and degradability No further relevant information available.

Behaviour in environmental systems:

Bioaccumulative potential No further relevant information available. **Mobility in soil** No further relevant information available.

Additional ecological information:

General notes: Water hazard class 1 (German Regulation) (Self-assessment): slightly

hazardous for water

Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods

Recommendation Must not be disposed together with household garbage. Do not allow product

to reach sewage system.

Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.

Recommended cleansing

agents: Solvent naphtha

14 Transport information

UN-Number ADR, ADN, IMDG, IATA Not applicable UN proper shipping name ADR, ADN, IMDG, IATA Not applicable Transport hazard class(es) ADR, ADN, IMDG, IATA Class Not applicable Packing group ADR, IMDG, IATA Not applicable Environmental hazards: Marine pollutant: No Special precautions for user Not applicable. Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable.

(Contd. on page 9)



Printing date 05.12.2024 Version number 20.2 Revision: 05.12.2024

Trade name: Polyx®-Oil Original

(Contd. of page 8)

UN "Model Regulation":

Not applicable

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture Poisons Act

Regulated explosives precursors

None of the ingredients is listed.

Regulated poisons

None of the ingredients is listed.

Reportable explosives precursors

None of the ingredients is listed.

Reportable poisons

None of the ingredients is listed.

GHS label elements Void
Hazard pictograms Void
Signal word Void
Hazard statements Void

Precautionary statements P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P262 Do not get in eyes, on skin, or on clothing. P271 Use only outdoors or in a well-ventilated area.

Directive 2012/18/EU Named dangerous

substances - ANNEX I None of the ingredients is listed.

National regulations:

Other regulations, limitations and prohibitive regulations

GISBAU-Code GISCODE: Ö60

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases H304 May be fatal if swallowed and enters airways.

Recommended restriction of

use Keep out of the reach of children

Department issuing SDS: product safety department

Contact: Hr. Dr. Starp

(Contd. on page 10)



Printing date 05.12.2024 Version number 20.2 Revision: 05.12.2024

Trade name: Polyx®-Oil Original

(Contd. of page 9)

Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route

(European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Asp. Tox. 1: Aspiration hazard – Category 1

Sources ESIS: European chemical Substances Information System

ECHA Portal

Safety data sheets from raw material suppliers

* Data compared to the

previous version altered. Additions, Deletions, Revisions

Updated according to regulation (EU) 2020/878 amending regulation (EC) No:

1907/2006 (UK REACH)

GB